

NON-VESICULAR REFERENCE LABORATORIES

Sample submission form

Laboratory
use only:

Laboratory Reference

Date Received

Royal Mail / Tracking Number

Received By

Submitter Ref. /
Licence Application

Owner of the animal(s)

Name:

Address:

CPH Number:

Grid Ref. / GPS

Country:

Tel.:

E-mail:

Address of submitter / for return of results

(use additional information box for invoice address)

Name:

Address:

Country:

Tel.:

E-mail:

Signature + Stamp:
(I hereby declare that the
samples are taken from the
animals detailed within this
submission)

Date:

Additional address for return of results

Address:

E-mail:

ISO/IEC 17025 accredited tests

Bluetongue virus

African horse sickness virus

Epizootic hemorrhagic disease virus

Peste-des-petits-ruminants virus

African swine fever virus

Capripoxvirus (Lumpy skin disease virus, Sheeppox virus & Goatpox virus)

☐ ELISA (antigen)

☐ ELISA (antibody)

☐ ELISA (antibody)

☐ ELISA (antibody)

☐ ELISA (antibody)

☐ ELISA (antibody)

☐ ELISA (antibody)

☐ Real-time RT-PCR

☐ Real-time RT-PCR

☐ Real-time RT-PCR

☐ Real-time RT-PCR

☐ Real-time PCR

☐ Real-time PCR

Non-accredited tests (by prior arrangement only)

- ☐ HAD *African swine fever virus*
- ☐ SNT *Bluetongue virus*
- ☐ SNT *Peste-des-petits-ruminants virus*
- ☐ SNT *Capripoxvirus*
- ☐ PCR *Capripoxvirus* differentiation
- ☐ Sequencing/ phylogenetic analysis

Other tests, requirements or instructions

Please note:

Please note that the free service for analysing samples from animals suspected to be infected with non-vesicular or vesicular disease is available for up to 50 samples per country, per year, per disease (unless agreed to by prior agreement) and testing is carried out on behalf of the national regulatory authority, to whom results will be copied. WOA/FAO will also be informed of the test results.

Original samples, materials derived from the samples and sample information (such as genetic and antigenic data) may be supplied to other organisations, such as reference laboratories in order to comply with The Pirbright Institute's expectations as a FAO and/or WOA/FAO reference laboratory.

• Pirbright will undertake appropriate tests and those as agreed in writing.

• The material provided may be added to Pirbright's collection and may be used for research, training, quality assurance, vaccine matching and reference laboratory functions.

• Fees may apply for particular services, see website, to be confirmed by Pirbright in writing.

Testing within the Non-Vesicular Reference Laboratory is subject to a 5 working day turnaround beginning the day after receipt of sample.

Amendments to final reports caused through illegible writing or errors made by the submitter will be subject to an administration charge.

Non-Vesicular Reference Laboratories,

The Pirbright Institute, Ash Road, Woking, Surrey, GU24 0NF, UK

<http://www.pirbright.ac.uk>

+44(0)1483 232441/231148

incoming.samples@pirbright.ac.uk

NVR-FORM-21-12B

Page 1 of 4

NON-VESICULAR REFERENCE LABORATORIES

Sample submission form

Laboratory
use only:

Laboratory Reference

Samples submitted

(Please tick the box or give details as appropriate)

Blood:

☐ EDTA (purple topped vacutainers)

☐ Serum (red topped vacutainers)

Please note that we cannot use blood collected in
green topped vacutainers (Heparin) for PCR tests

Swabs:

(please specify)

Tissue:

(please specify)

Additional Information

include clinical signs, vaccination status if known, date of animal export, invoice address, etc.

Non-Vesicular Reference Laboratories,

The Pirbright Institute, Ash Road, Woking, Surrey, GU24 0NF, UK

<http://www.pirbright.ac.uk>

+44(0)1483 232441/231148

incoming.samples@pirbright.ac.uk

NVR-FORM-21-12B

Page 2 of 4

NON-VESICULAR REFERENCE LABORATORIES

Sample submission form

Laboratory
use only:

Laboratory Reference

[illegible]

Page number of of pages of sample details

If you require space for more sample details, please duplicate pages 3 & 4 of this form as necessary.

Non-Vesicular Reference Laboratories.

The Pirbright Institute, Ash Road, Woking, Surrey, GU24 0NF, UK

<http://www.pirbright.ac.uk>

+44(0)1483 232441/231148

incoming.samples@pirbright.ac.uk

NON-VESICULAR REFERENCE LABORATORIES

Sample submission form

Laboratory
use only:

Laboratory Reference

--

[illegible]

Page number of of pages of sample details

If you require space for more sample details, please duplicate pages 3 & 4 of this form as necessary.

Non-Vesicular Reference Laboratories.

The Pirbright Institute, Ash Road, Woking, Surrey, GU24 0NF, UK

<http://www.pirbright.ac.uk>

+44(0)1483 232441/231148

incoming.samples@pirbright.ac.uk